

Honeywell Rubber Footwear

Honeywell



FEATURING THE RANGER™ SERIES

Ultra-light Protection and Comfort

Honeywell Rubber Footwear

A new complete line of high quality rubber footwear.

- + Certified to NFPA 1971 and NFPA 1992 for structural and liquid-splash protection, these lightweight rubber boots are engineered for maximized protection, comfort and durability, protecting you against punctures, moisture and electrical shocks.

- + Constructed of natural rubber or a combination of natural and butyl rubber, Honeywell rubber footwear offers the most complete protection available in every hazardous environment. Roomy steel toe, steel bottom plate and shank protect against impact/compression and puncture.

- + Offered in both insulated and non-insulated models with a choice of Kevlar®/Nomex® or wool felt lining to fit every fire department budget. All models are built on the same last with the same molded sole for consistent sizing throughout the entire line.



Ranger™ Series Models



Model 1000 Ranger™ Air

Premium, top of the line model, offers complete protection and lightweight comfort. Only rubber boot on the market utilizing athletic spacer mesh material laminated to buoyant, waterproof neoprene. A combination of natural rubber and butyl rubber ensures complete chemical protection to certified standards.

Certified to NFPA 1971 and NFPA 1992.

Protocol TOP-8-2-501*



Models 1500 & 2500

Insulated (Model 1500) and non-insulated (Model 2500) lightweight models feature Kevlar®/Nomex® lining and are equipped with a shinguard for additional ladder-rung shin protection. Roomy steel toe provides extra comfort, and steel bottom plates and shanks offer unmatched impact/compression and puncture protection.

Certified to NFPA 1971 and NFPA 1992.

Protocol TOP-8-2-501*



Model 1600

Insulated lightweight boot with wool felt lining. Roomy steel toe provides extra comfort, and steel bottom plates and shanks offer unmatched impact/compression and puncture protection.

Certified to NFPA 1971 and NFPA 1992.



Model 2600

Non-insulated model featuring wool felt lining. Roomy steel toe for extra comfort and impact/compression protection, and steel bottom plates and shanks offer unmatched puncture protection.

Certified to NFPA 1971 and NFPA 1992.



Model 2700

30-inch insulated hip boot with wool felt lining.

This boot is not certified to any NFPA Standard.

Quick Comparison Chart

Model	1000	1500	1600	2500	2600	2700
Height	15"	16"	16"	16"	16"	30"
Weight in lbs (approx.)	6.3	7	7.1	6.6	6.7	9.7
Shoe-Fit™	Yes	Yes	Yes	Yes	Yes	Yes
Insulated	Yes	Yes	Yes	No	No	Yes
Lining	Spacer Mesh	Kevlar®/Nomex®	Wool Felt	Kevlar®/Nomex®	Wool Felt	Wool Felt
Shinguard	No	Yes	No	Yes	No	No
Steel Toe, Plate, Shank	Yes	Yes	Yes	Yes	Yes	Yes
Molded Sole	Yes	Yes	Yes	Yes	Yes	Yes
Removable Insert	Yes	Yes	Yes	Yes	Yes	Yes
NFPA 1971	Yes	Yes	Yes	Yes	Yes	No
NFPA 1992	Yes	Yes	Yes	Yes	Yes	No
Mustard HD*	Yes	Yes	No	No	No	No
APT Barcoded	Yes	Yes	Yes	Yes	Yes	No
Made in North America	Yes	Yes	Yes	Yes	Yes	Yes

Widths: Narrow, Medium, Wide

Full Sizes: 3 to 16

Half Sizes: 5½ to 15½

(Model 2700 wide widths only)

*Chemical warfare agent protection against Mustard HD agent. Protocol TOP-8-2-501 "Penetration and permeation testing of air-permeable and impermeable materials with chemical agents or simulants." Swatch test only. Models 1000 and 1500 only.

Exclusive Corporate Sponsor



Honeywell is proud to be the exclusive corporate sponsor of the United States Fire Administration/National Fallen Firefighter Foundation's National Fire Service Vulnerability Assessment Project

Proudly Supporting



IAFC
International
Association of
Fire Chiefs




The IAFF
Fire Fighters
Burn
Foundation



Firefighter
Cancer
Support
Network



International
Association
of Black
Professional
Fire Fighters



International
Association of
Women in Fire
& Emergency
Services



NFFF
National Fallen
Firefighters
Foundation



NVFC
National
Volunteer
Fire Council



FDSOA
Fire Department
Safety Officers
Association



Congressional
Fire Services
Institute



ISFSI
International
Society of
Fire Service
Instructors



NFPA
National Fire
Protection
Association



FEMSA
Fire Equipment
Manufacturers
& Suppliers
Association

Honeywell Life Safety

Honeywell First Responder Products
Honeywell
#1 Innovation Court
Dayton, Ohio 45414
Tel: 800-688-6148
www.HoneywellFirstResponder.com

Honeywell

November 2011
© 2011 Honeywell International Inc.