

## **EXPLORER**

- High fashion modern design
- Scratch resistant lenses
- Lightweight

Modern semi-disposable design. Choice of clear or smoke lenses. Fashionable close fitting spectacle.

## TECHNICAL SPECIFICATION

Style S140

Lens Clear or smoke polycarbonate

scratch resistant

Frame Clear or smoke polycarbonate EN166 3-1.2 1 F CE (clear); Approvals EN166 5-3.1 1 F CE (smoke)

Weight 27g



- Multi-adjustable arms
- · Anti-mist lenses
- Lightweight

Fashionable twin lens design. Lightweight wrap-around style for maximum protection and comfort. Choice of clear or smoke scratch resistant, anti-mist lenses.

#### TECHNICAL SPECIFICATION


Style S98

Lens Clear or smoke polycarbonate

scratch resistant anti-mist

Frame Blue, black, and silver EN166 3-1.2 1 F CE (clear); Approvals EN166 5-3.1 1 F CE (smoke)

Weight 25g Spares Clear lens







- Adjustable arms
- · Scratch resistant lens
- Anti-mist

Blade styled spectacle. Excellent facial fit. Length adjustable arms. Choice of clear or smoke lenses. Single lens with superior eye coverage.

## TECHNICAL SPECIFICATION

Style S840

Lens Clear or smoke polycarbonate

scratch resistant anti-mist

Frame Grev

EN166 3-1.2 1 F CE (clear); Approvals

EN166 5-3.1 1 F CE (smoke)

Weight 38g



- Lightweight
- · Adjustable arms
- · Scratch resistant lens

Blade style spectacle. Single scratch resistant lens. Length adjustable arms.

#### TECHNICAL SPECIFICATION

Style S60

Lens Clear polycarbonate scratch

resistant

Frame Blue

Approvals EN166 3-1.2 1 F CE

Weight 34g





## VISTALUX PLUS



- Traditional style
- Scratch resistant lens

Traditional style spectacle. Permanent moulded side shields. Scratch resistant lenses.

## TECHNICAL SPECIFICATION

S110 Style

Lens Clear polycarbonate scratch

resistant

Sherry Frame

Approvals EN166 1 F CE

Weight 40g



- One piece moulded frame
- Choice of hard coated anti-fog lenses
- Lightweight and stylish

Semi-disposable design with length adjustable temples. Choice of clear or smoke, anti-fog, hard coated lenses.

#### TECHNICAL SPECIFICATION

Style S141

Lens Clear or smoke polycarbonate

hard coated anti-fog

Black/Silver Frame

EN166 3-1.2 1 F (clear); Approvals

EN166/EN172 5-3.1 1 F (smoke)

Weight 30g





# **FOCOMAX**

- Visitors/Over-spectacle
- · Scratch resistant lens
- Large size

High quality finish for comfort. Fits over all prescription spectacle styles. Choice of lens types and PVC comfort band.

### TECHNICAL SPECIFICATION

Style S46

Lens Clear polycarbonate, clear

polycarbonate scratch resistant

Frame Clear

EN166 1 F CE Approvals

Weight 49g



- Fits over standard prescription spectacles
- Anti-mist lens
- · Scratch resistant lens

Visitors style spectacle. Thin arms for use with earmuffs. Stylish design with anti-mist anti-scratch lens.

#### TECHNICAL SPECIFICATION

Style S165

Lens Clear or smoke polycarbonate

scratch resistant anti-mist

Frame Clear or smoke

EN166 3-1.2 1 F CE (clear); Approvals

EN166 5-3.1 1 F CE (smoke)

Weight 42g





## SUNDOWNER

- Adjustable arms
- · Scratch resistant lens
- Anti-mist

Modern wrap-around frame and lens. Excellent facial fit. Designed to prevent dust entering the eyes. Length adjustable arms. PVC nose bridge.

#### TECHNICAL SPECIFICATION

Style S71

Lens Clear, smoke, amber and shade

1,7 polycarbonate scratch

resistant anti-mist

Frame Black

Approvals EN166 3-1.2 1 F CE (clear);

EN166 5-3.1 1 F CE (smoke); EN166 5-1.1 1 F CE (amber); EN166 1,7 1 F CE (shade 1,7)

Weight 41g

Spares Nose bridge



- Easy adjustable arms
- Anti-mist lens
- Scratch resistant lens

Modern wrap-around frame and lens. Excellent facial fit. Easy adjustable thin arms for use with earmuffs. Soft PVC nose bridge.

#### TECHNICAL SPECIFICATION

Style S79

Lens Clear polycarbonate scratch

resistant

Frame Black

Approvals EN166 3-1.2 1 F CE

Weight 38g

Spares Nose bridge







- Scratch resistant lens
- Aviator Style
- Metal arms

Uni-lens aviator style spectacle. Excellent field of vision. Nickel plated arms.

### TECHNICAL SPECIFICATION

Style S70

Lens Clear polycarbonate scratch

resistant

Blue Frame

EN166 1 F CE Approvals

Weight 34g Clear lens Spares



- Frame-less design
- Single, hard coated anti-fog lens
- Multi-adjustable temples

Temples attached directly to anti-fog lenses to ensure unrestricted vision and comfort. Suitable for general industrial wear.

#### TECHNICAL SPECIFICATION

Style S72

Lens Clear hard coated anti-fog

polycarbonate

Frame Black

Approvals EN166 3-1.2 1 F

32.3g Weight





## Goggles



- Choice of ventilation
- Foam Option
- · Anti-mist lenses

Modern wrap-around design goggle. Soft PVC frame with a choice of lens materials. Wide elastic strap for maximum comfort. Fits over prescription spectacles.

## TECHNICAL SPECIFICATION

Style GCV90

Lens Polycarbonate scratch resistant;

polycarbonate anti-mist; acetate

anti-mist

Frame Indirect vented; indirect part

vented; unvented PVC

Field of Vision 160°

EN166 1 B 3 4 9 CE (dependant Approval

on lens and frame type)

Weight 126g Spares Lenses



- Indirect Vents
- · Wide field of vision
- · Anti-mist lenses

Wide vision goggle design. PVC frame with a choice of lens material. High quality elastic strap for comfort. Fits over prescription spectacles.

#### TECHNICAL SPECIFICATION

GCV140 Style

Lens Polycarbonate scratch resistant;

Polycarbonate anti-mist; Acetate anti-mist

Indirect vented PVC

Field of Vision 140°

Frame

Approvals EN166 1 B 3 4 9 CE (dependant

on lens type)

Weight 114g Spares Lenses





## Goggles



- Soft PVC frame
- · Compact design

Traditional style chemical goggle. Flexible PVC frame for high levels of comfort. Choice of lenses.

## TECHNICAL SPECIFICATION

GCV75 Style

Lens Polycarbonate scratch

resistant; polycarbonate anti-mist; acetate anti-mist Indirect vented PVC

Frame

Field of Vision 130°

EN166 1 B 3 4 9 CE (dependant Approvals

on lens type)

Weight 76g Spares Lenses



- Large PVC frame
- Direct ventilation

Traditional style direct ventilation goggle. Large frame design for comfort and fit. Suitable for impact hazards only.

#### TECHNICAL SPECIFICATION

Style G39

Polycarbonate scratch resistant Lens

Frame Direct ventilation PVC

Field of Vision 130°

Approvals EN166 1 B CE

Weight 87g Spares Lenses

